Component over CAT5 Receiver at 50 Meters

Operation Manual



TABLE OF CONTENTS

1. Introduction	3
2. Features	3
3. Package Contents	3
4. Operation Controls and Functions	4
4.1 Front Panel	4
4.2 Rear Panel	5
5. Specifications	
	6

1. Introduction

This is the receiver (Rx) unit of Component over CAT5 solution, works with the transmitter that can extend Component signal through CAT-5 cables for a distance up to 50 meters. The installation of Component over CAT5 is easy and quick, simply place receiver next to your display, and get all necessary cables connected to complete and enjoy.


2. Features

- Supports HD/YCbCr/YPbPr format output.
- Supports CAT-5 cable.
- Supports high definition (HD) output source up to 1080P.
- The output signal will depend on the input source.
- Easy to install and simple to operate.

3. Package Contents


- PC over CAT5 receiver box.
- 5V/1A DC power supply adaptor.
- Operation Manual.

4. Operation Controls and Functions 4.1 Front Panel



- 1. CAT5-In: Connected the video output to the video input of the CAT5 receiver unit using CAT-5 cable.
- 2. DC 5V/1A: Power input.
- 3. Power ON/OFF indicator.

4.2 Rear Panel



- 1. Toslink output: Connected SPDIF output to the display audio input.
- 2. Audio output: Connected audio R/L output to the display audio input.
- 3. HD output: Connected the HDMI output port to the HDMI input display.

5. Specifications

Supported resolutions HD: up to 1080p

Output audio source ports Audio L/R or Toslink/SPDIF

input video source port CAT-5

Power Supply 5V/1A DC (US/EU standards, CE/FCC/UL certified)

Dimensions (mm) 99.5(W) x 77(D) x 32.5(H)

Weight(g) 200 Chassis Material Metal

Silk Skin Color Black/Silver

Operating Temperature Operating from 0°C ~48°C

Cypress Component over CAT5 series:

Product	Description
CA-COMPAT	Component over CAT5 Transmitter
CA-HDMI 50R	Component over CAT5 Receiver at 50 meters
CA-HDMI 100R	Component over CAT5 Receiver at 100 meters