SCART to SVHS Converter

Operation Manual

■ Precautions

- 1. Do not expose this product to direct sunlight.
- 2. Keep the unit away from radiator, heat sources and magnetic field.
- 3. Do not place it in very dusty or humid locations.
- 4. Use this unit in a horizontal position only.
- 5. Do not put heavy object on top of the converter.
- 6. Put the unit in an open space that has a good ventilation.
- If the picture is affected. Keep the unit away from TV or other electronic equipment.
- 8. Unplug the unit from the power supply when it is not to be used for a long period of time.

■ Features

Converts scart RGB signal from satellite receiver or other video sources into S-VHS or composite video for recording or further connecting to TV.


■ Operation controls and functions Front Panel




▶ Power ON/OFF indicator: Illuminates when power on.

■ Operation controls and functions

Rear Panel



- 1. DC 7.5V 500mA
- 2. Video output: RCA connector for composite Video output 1Vp-p 75 ...
- 3. S Video output: S-Video jack for Y/C output 1Vp-p 75 ...
- 4. Audio Output pair (L+R)/2 sets.
- 5. Scart RGB Input: Input Scart connector.



2	Audio right in	11	Green in
4	GND	13	GND
5	GND	15	Red in
6	Audio left in	17	GND
7	Blue in	20	Composite video in
9	GND	21	Shield

■ Specifications

Input systems	PAL		
Output systems	PAL		
Connection Terminals	Scart Input: 1 S-Video Output: 1 Video Output: 1 Audio Output(R,L): 2		
AC adaptor	Input: 230V/50Hz Output: 7.5V/500mA		
Dimensions	236(W) x 130(D) x 45(H)mm		
Weight	0.5kg		
Accessory	Video cable, AC adaptor		

■ Connection and Installation

